

FERNBANK CROSSING

Site Specifications



Landscaping

- Planting as per City approved landscape plan
- Paved asphalt driveway
- Concrete patio slab walkway (24" x 30") at front entrance as per Landscape Plan
- Nursery grown sod as required

Foundation and Concrete Floors

- 8" concrete foundation wall or concrete foundation
- 3" concrete basement floor with troweled finish
- 4" concrete garage floor with broom finish
- System "Platon" drainage membrane on exterior concrete foundation walls (below finished grade)

Structural

- Exterior walls 2" x 6" at 16" o/c with 7/16" sheathing
- Exterior basement walls framed to floor
- Interior walls 2" x 4" at 16" o/c with 1/2" drywall
- Engineered floor joists (as per plan)
- Floor sheathing 3/4" T & G OSB board screwed and glued
- Manufactured roof trusses as per engineered designs
- Roof sheathing 7/16" OSB with H clips
- Engineered steel posts and beams (as per plan)

Exterior Finishes

- Clay brick or Designer stone (as per plan)
- Maintenance free vinyl siding (as per plan)
- Self-sealing high grade asphalt shingles complete with 25 year manufacturer's warranty
- Maintenance-free aluminum soffit and fascia
- Maintenance-free Low-E Argon vinyl windows (as per plan)
- Basement windows to be vinyl with thermal sliders and screens
- Steel sectional overhead garage door
- Steel clad insulated front entry door and dead bolt
- Side lights and transoms where applicable (as per plan)
- Sliding patio door with screen (as per plan)
- Maintenance-free front balconies (as per plan)
- Precast steps or Cedar deck and railing with PT structure at rear (as required)
- Architecturally designed streetscaping

Interior Finishes

- 9 foot ceilings on the main floor
- 40 oz nylon broadloom with 9mm underpad (as per plan) one colour throughout
- Ceramic floor tile in foyer, ensuite bathroom, kitchen/eating area, powder room, main bathroom and laundry room (as per plan) with Ditra Mat underlay
- Manufactured kitchen cabinets with granite counter tops and manufactured vanities with post form counter tops
- Ceramic backsplash in kitchen
- Colonial style swing Interior doors, baseboards, windows and door trim (as per plan)
- Oak railings and spindles on stairwells or oak handrail and oak wall cap (as per plan), main floor to second floor only
- Stippled ceilings with 4" designer edge excluding kitchen and bathrooms
- Paint - one colour (off-white) throughout
- Vaulted ceilings (as per plan)
- High efficiency gas fireplace and trim with oak beam mantle or MDF top (as per plan)
- Microwave shelf in kitchen with dedicated electrical outlet
- Decorative interior plaster columns (as per plan)

Plumbing and Heating

- Forced air 96% efficiency gas furnace with electronically controlled motor
- 75% Efficiency Heat Recovery Ventilator (HRV)
- Gas fired vented tankless water heater (rented. EF 0.8)
- Ductwork sized for future air conditioner
- Bathroom and kitchen exhaust fans vented to exterior
- Fibreglass bathtubs with ceramic wall tile in main bath (as per plan)
- Thorough duct cleaning performed prior to delivery
- Master ensuite to have a soaker tub with ceramic tile border and shower stall (where applicable, as per plan)
- Main and ensuite bathrooms to have vanity drawers and/or medicine cabinet (as per plan)
- Powder room with vanity & basin or pedestal sink (as per plan)
- Single lever faucets throughout
- Low flush water conserving toilets
- Constant temperature (pressure balance) water valves at all showers
- Quality white bath fixtures
- Double Stainless steel Undermount kitchen sink
- Rough-in for washer and dryer
- Rough-in for dishwasher
- Two exterior hose bibs
- Laundry tub as per plan
- Drain water heat recovery as per code

Insulation and Vapor Barrier

- Exterior walls R-22 fiberglass batt including 2"x6" framed walls for walkouts and reverse-walkouts
- Ceilings R-60 blown fiberglass insulation, except vaulted ceilings R-31 batt insulation
- Garage ceilings R-31 fiberglass batt or equivalent (below finished areas)
- Exterior walls super 6 mil poly vapor barrier on interior and "Tyvek" or equivalent air barrier on exterior
- Basement R-20 (to 8" above concrete floor)
- Ductwork joints are all tape-sealed

Electrical

- 100 amp service with 48 circuit breaker panel
- Smoke detectors and CO detectors as per code
- Duplex outlet for future garage door opener
- Capped dining room ceiling outlet
- Ceiling fixtures in all bedrooms
- Exterior light fixtures at front entrance
- One exterior electrical plug in garage and at rear on ground fault breaker
- Heavy duty receptacles for dryer and stove
- Rough in wiring for future dishwasher
- Builder's lighting fixture package
- Rough-in for 2 phone/data outlets and 5 Cable T.V. outlets
- Rough-in for central vac
- Decora switches & plugs throughout
- LED light bulbs in all compatible fixtures

Exterior Colour Package

- Purchasers can choose from the Builders exterior colour packages. The final package decision is solely at the discretion of the Builder.

Ontario New Home Warranty Program

Phoenix Homes is registered with TARION which provides the following coverage:

- 1 year Builders warranty
- 2 years - plumbing, heating and electrical systems and building envelope
- 7 years - Major structural defects



INCOME SERIES– PRIMARY DWELLING

Site Specifications



Landscaping

- Planting as per City approved landscape plan
- Paved asphalt driveway
- Concrete patio slab walkway (24" x 30") at front entrance as per Landscape Plan
- Nursery grown sod as required

Foundation and Concrete Floors

- 8" concrete foundation wall or concrete foundation
- 3" concrete basement floor with troweled finish
- 4" concrete garage floor with broom finish
- System "Platon" drainage membrane on exterior concrete foundation walls (below finished grade)

Structural

- Exterior walls 2" x 6" at 16" o/c with 7/16" sheathing
- Exterior basement walls framed to floor
- Interior walls 2" x 4" at 16" o/c with 1/2" drywall
- Engineered floor joists (as per plan)
- Floor sheathing 3/4" T & G OSB board screwed and glued
- Manufactured roof trusses as per engineered designs
- Roof sheathing 7/16" OSB with H clips
- Engineered steel posts and beams (as per plan)

Exterior Finishes

- Clay brick or Designer stone (as per plan)
- Maintenance free vinyl siding (as per plan)
- Self-sealing high grade asphalt shingles complete with 25 year manufacturer's warranty
- Maintenance-free aluminum soffit and fascia
- Maintenance-free Low-E Argon vinyl windows (as per plan)
- Basement windows to be vinyl with thermal sliders and screens
- Steel sectional overhead garage door
- Steel clad insulated front entry door and dead bolt
- Side lights and transoms where applicable (as per plan)
- Sliding patio door with screen (as per plan)
- Maintenance-free front balconies (as per plan)
- Precast steps or Cedar deck and railing with PT structure at rear (as required)
- Architecturally designed streetscaping

Interior Finishes

- 9 foot ceilings on the main floor
- 40 oz nylon broadloom with 9mm underpad (as per plan) one colour throughout
- Ceramic floor tile in foyer, ensuite bathroom, kitchen/eating area, powder room, main bathroom and laundry room (as per plan) with Ditra Mat underlay
- Manufactured kitchen cabinets with granite counter tops and manufactured vanities with post form counter tops
- Ceramic backsplash in kitchen
- Colonial style swing Interior doors, baseboards, windows and door trim (as per plan)
- Carpet grade stairs
- Oak railings and spindles on stairwells or oak handrail and oak wall cap (as per plan), main floor to second floor only
- Stippled ceilings with 4" designer edge excluding kitchen and bathrooms
- Paint - one colour (off-white) throughout
- Vaulted ceilings (as per plan)
- High efficiency gas fireplace and trim with oak beam mantle or MDF top (as per plan)
- Microwave shelf in kitchen with dedicated electrical outlet
- Decorative interior plaster columns (as per plan)

Plumbing and Heating

- Forced air 96% efficiency gas furnace with electronically controlled motor
- Energy Efficiency Heat Recovery Ventilator (HRV)
- Sonora model to have a fan coil unit with tankless water heater in lieu of furnace.

- Gas fired vented tankless water heater (rented. EF 0.8)
- Ductwork sized for future air conditioner
- Bathroom and kitchen exhaust fans vented to exterior
- Fibreglass bathtubs with ceramic wall tile in main bath (as per plan)
- Thorough duct cleaning performed prior to delivery
- Master ensuite to have a soaker tub with ceramic tile border and shower stall (where applicable, as per plan)
- Main and ensuite bathrooms to have vanity drawers and/or medicine cabinet (as per plan)
- Powder room with vanity & basin or pedestal sink (as per plan)
- Single lever faucets throughout
- Low flush water conserving toilets
- Constant temperature (pressure balance) water valves at all showers
- Quality white bath fixtures
- Double Stainless steel Undermount kitchen sink
- Rough-in for washer and dryer
- Rough-in for dishwasher
- Two exterior hose bibs
- Laundry tub as per plan
- Drain water heat recovery as per code
- Dual gas meters (1 for primary dwelling, 1 for apartment unit)

Insulation and Vapor Barrier

- Exterior walls R-22 fiberglass batt including 2"x6" framed walls for walkouts and reverse-walkouts
- Ceilings R-60 blown fiberglass insulation, except vaulted ceilings R-31 batt insulation
- Garage ceilings R-31 fiberglass batt or equivalent (below finished areas)
- Exterior walls super 6 mil poly vapor barrier on interior and "Tyvek" or equivalent air barrier on exterior
- Basement R-20 (to 8" above concrete floor)
- Ductwork joints are all tape-sealed

Electrical

- 100 amp service for fuse panel with 48 circuit breaker panel
- 200 amp service for fuse panel with 48 circuit breaker panel (available at Pathways only)
- Smoke detectors and CO detectors as per code
- Duplex outlet for future garage door opener
- Capped dining room ceiling outlet
- Ceiling fixtures in all bedrooms
- Exterior light fixtures at front entrance
- One exterior electrical plug in garage and at rear on ground fault breaker
- Heavy duty receptacles for dryer and stove
- Rough in wiring for future dishwasher
- Builder's lighting fixture package
- Rough-in for 2 phone/data outlets and 5 Cable T.V. outlets
- Rough-in for central vac
- Decora switches & plugs throughout
- Rough in for future car charging station in garage (available at Pathways only)
- Dual electrical meters (1 for primary dwelling, 1 for apartment unit)
- LED light bulbs in all compatible fixtures

Exterior Colour Package

- Purchasers can choose from the Builders exterior colour packages. The final package decision is solely at the discretion of the Builder.

Ontario New Home Warranty Program

Phoenix Homes is registered with TARION which provides the following coverage:

- 1 year Builders warranty
- 2 years - plumbing, heating and electrical systems and building envelope
- 7 years - Major structural defects



INCOME SERIES– APARTMENT UNIT

Site Specifications



Landscaping

- Planting as per City approved landscape plan
- Paved asphalt driveway
- Concrete patio slab walkway (24" x 30") at front entrance as per Landscape Plan
- Nursery grown sod as required

Foundation and Concrete Floors

- 8" concrete foundation wall or concrete foundation
- 3" concrete basement floor with troweled finish
- 4" concrete garage floor with broom finish
- System "Platon" drainage membrane on exterior concrete foundation walls (below finished grade)

Structural

- Exterior walls 2" x 4" at 16" o/c
- Exterior basement walls framed to floor
- Interior basement walls 2" x 4" at 16" o/c with 1/2" drywall

Exterior Finishes

- All common walls and ceiling to have a 1hr fire separation as per O.B.C
- Basement windows to be vinyl with thermal sliders and screens
- Steel clad insulated front entry door and dead bolt

Interior Finishes

- 8 foot ceilings, bulkheads as required
- 40 oz nylon broadloom with 9mm underpad (as per plan) one colour throughout
- Ceramic floor tile in foyer, vinyl floor in bathroom, kitchen/eating area, laundry room (as per plan) on concrete floor
- Manufactured kitchen cabinets with post form counter tops and manufactured vanities with post form counter tops
- Ceramic backsplash in kitchen
- Colonial style swing Interior doors, baseboards, windows and door trim (as per plan)
- Oak railings and spindles on stairwells or oak handrail and oak wall cap (as per plan)
- Carpet grade stairs
- Stippled ceilings with 4" designer edge excluding kitchen and bathrooms
- Paint - one colour (off-white) throughout
- Microwave shelf in kitchen with dedicated electrical outlet

Plumbing and Heating

- Independent HVAC controls from Primary Dwelling
- Energy Efficiency Heat Recovery Ventilator (HRV)
- Fan coil unit with gas fired vented tankless water heater (rented. EF 0.8)
- Bathroom and kitchen exhaust fans vented to exterior
- Fibreglass bathtubs with ceramic wall tile in main bath (as per plan)
- Thorough duct cleaning performed prior to delivery
- Main bathroom to have vanity drawers and/or medicine cabinet (as per plan)
- Single lever faucets throughout
- Low flush water conserving toilets
- Constant temperature (pressure balance) water valves at all showers
- Quality white bath fixtures
- Double Stainless steel kitchen sink
- Rough-in for washer and dryer
- Rough-in for dishwasher

Insulation and Vapor Barrier

- Basement R-20 (to 8" above concrete floor)
- Ductwork joints are all tape-sealed

Electrical

- Pony panel fed from main circuit breaker panel
- Smoke detectors and CO detectors as per code
- Duplex outlet for future garage door opener (as per plan)
- Capped dining room ceiling outlet
- Ceiling fixtures in all bedrooms
- Exterior light fixtures at front entrance
- One exterior electrical plug in garage and at rear on ground fault breaker
- Heavy duty receptacles for dryer and stove
- Rough in wiring for future dishwasher
- Builder's lighting fixture package
- Rough-in for 2 phone/data outlets and 5 Cable T.V. outlets
- Decora switches & plugs throughout
- LED light bulbs in all compatible fixtures

Ontario New Home Warranty Program

Phoenix Homes is registered with TARION which provides the following coverage:

- 1 year Builders warranty
- 2 years - plumbing, heating and electrical systems and building envelope
- 7 years - Major structural defects

E & O.E. • Income Series • July 12, 2018